



MAGNI SICCOR LIFTS

THE NEW GENERATION



SCISSOR LIFTS

	ES0607E	ES0807E	ES0808E	ES1008E
Lift capacity	240kg	230kg	380kg	230kg
Lift capacity - extension deck	100kg	113kg	113kg	113kg
Max. platform occupancy indoor	2	2	2	2
Max. platform occupancy outdoor	1	1	1	-
Working height	5,6 m	7,8 m	8 m	10 m
Platform Floor Height	3,6 m	5,8 m	6 m	8 m
Overall Length	1,3 m	1,86 m	2,48 m	2,48 m
Overall Width	0,76 m	0,76 m	0,81 m	0,81 m
Overall Height (rails up)	2,03 m	2,18 m	2,2 m	2,32 m
Overall height (rails down)	1,66 m	1,84 m	1,87 m	1,99 m
Platform Size (length/width)	1,28m x 0,7m	1,67 m x 0,74 m	2,27 m x 0,81 m	2,27 m x 0,81 m
Platform Extension Size	0,55 m	0,9 m	0,9 m	0,9 m
Ground Clearance (stowed)	0,05 m	0,09 m	0,1 m	0,1 m
Ground Clearance (raised)	0,05 m	0,019 m	0,019 m	0,019 m
Wheelbase	1,03 m	1,36 m	1,87 m	1,87 m
Turning Radius (inside)	0 m	0 m	0 m	0 m
Turning radius (outside)	0,78 m	1,64 m	2,1 m	2,1 m
Drive motors	2x24VDC/0,3kW	24V/0,5kW	24V/1,5kW	24V/1,5kW
Lifting motors	24VDC/0,8kW	24V/2kW	24V/3,3kW	24V/3,3kW
Travel speed (stowed)	4 km/h	4,5 km/h	4 km/h	4 km/h
Travel speed (raised)	0,5 km/h	0,8 km/h	0,8 km/h	0,8 km/h
Up\Down Speed	32/21 sec	27/22 sec	31/67 sec	42/30 sec
Batteries	2x12V/55Ah	4x6V/210Ah	4x6V/225Ah	4x6V/225Ah
Integrated charger	24V/11A	24V/25A	24V/25A	24V/25A
Gradeability	25%	25%	25%	25%
Maximum slope	1,5°/3°	1,5°/3°	2°/3°	1,5°/3°
Tyres	ø230x80mm	ø 305x100mm	ø 381x127mm	ø 381x127mm
Front Wheels	6 in	/	/	/
Weight (CE)	880kg	1415kg	2125kg	2180kg



Platform extension deck



Foot lock



Foldable guardrails



High gradeability

The Magni scissor lifts have minimal dimensions and low weight making them deployable on many locations. Models with a working height up to 9,5 meters are able to drive through a doorpost.



SCISSOR LIFTS

	ES1012E	ES1212E	ES1412E	ES1612E
Lift capacity	450kg	320kg	320kg	200kg
Lift capacity - extension deck	113kg	113kg	113kg	113kg
Max. platform occupancy indoor	2	2	2	2
Max. platform occupancy outdoor	2	1	-	-
Working height	10 m	12 m	13,8 m	15,7 m
Platform Floor Height	8 m	10 m	11,8 m	13,7 m
Overall Length	2,48 m	2,48 m	2,48 m	2,84 m
Overall Width	1,15 m	1,15 m	1,15 m	1,25 m
Overall Height (rails up)	2,32 m	2,44 m	2,58 m	2,58 m
Overall height (rails down)	1,78 m	1,91 m	2,04 m	2,26 m
Platform Size (length/width)	2,27 m x 1,2 m	2,27 m x 1,12 m	2,27 m x 1,12 m	2,64 m x 1,12 m
Platform Extension Size	0,9 m	0,9 m	0,9 m	0,9 m
Ground Clearance (stowed)	0,1 m	0,1 m	0,1 m	0,1 m
Ground Clearance (raised)	0,019 m	0,019 m	0,019 m	0,019 m
Wheelbase	1,87 m	1,87 m	1,87 m	2,22 m
Turning Radius (inside)	0 m	0 m	0 m	0 m
Turning radius (outside)	2,2 m	2,2 m	2,2 m	2,65 m
Drive motors	24V/1,5kW	24V/1,5kW	24V/1,5kW	24V/1,5kW
Lifting motors	24V/3,3kW	24V/4,5kW	24V/4,5kW	24V/4,5kW
Travel speed (stowed)	4 km/h	4 km/h	4 km/h	4 km/h
Travel speed (raised)	0,8 km/h	0,8 km/h	0,8 km/h	0,8 km/h
Up\Down Speed	36/33 sec	54/42 sec	84/83 sec	88/60 sec
Batteries	4x6V/225Ah	4x6V/225Ah	4x12V/300Ah	4x12V/300Ah
Integrated charger	24V/25A	24V/25A	24V/25A	24V/25A
Gradeability	25%	25%	25%	25%
Maximum slope	2°/3°	1,5°/3°	1,5°/3°	1,5°/3°
Tyres	ø 381x127mm	ø 381x127mm	ø 381x127mm	ø 381x127mm
Front Wheels	/	/	/	/
Weight (CE)	2655kg	2965kg	2880kg	3180kg



Characterizing the Magni products are the quality and reliability combined with huge capacity, easy handling and optimized safety. The electrical powered scissor lifts are energy efficient, clean and silent, making them ideal for inside use.

100% ELECTRICAL

Magni scissor lifts are 100% electrically powered. This means more power, quieter and cleaner.

MAGNI TELEHANDLERS

ROTATING TELEHANDLERS - RTH range



RTH 5.18 smart



RTH 5.21 smart



RTH 5.23 smart



RTH 5.25 smart



RTH 5.21 smart S



RTH 5.23 smart S



RTH 5.25 smart S



RTH 6.24 S



RTH 5.26 S



RTH 5.30 S



RTH 5.35 S



RTH 5.39 S



- Impressive lifting height up to 46 meters
- Up to 34 meters horizontal outreach
- Load capacity up to 45.000 kg
- The fully enclosed pressurized and airtight cab
- Remote control
- Automatic recognition of fitted attachment via RFID

FIXED TELEHANDLERS- HTH range



HTH 10.10



HTH 16.10



HTH 24.11



HTH 27.11



HTH 35.12



HTH 30.12



HTH 45.14



TH 6.20



Collé RENTAL & SALES

Collé Rental & Sales

Magni importer - BeNeLux

Nusterweg 100-102

6136 KV Sittard | The Netherlands

+31(0)46 - 45 74 102

sales@colle.eu | www.colle.eu

